


Push-in terminal block

Easier wiring


Terminal block
UJ6-1.5











Terminal block
UJ6-2.5




Terminal block
UJ6-4




		CE RoHS		UL US CE RoHS		UL US CE RoHS		
Dimensions								
Width/Thickness/Height	(mm)	45,2 / 3,5 / 30,5		48,5 / 5,2 / 35,2		55,8 / 6,2 / 35,2		
Stripping length	(mm)	11		11		13		
Technical data								
Voltage	(V)	500		800		800		
Current	(A)	17,5		24		32		
Cross section	(mm ²)	1,5		2,5		4		
Connection capacity								
Solid conductors	(mm ²)			0,2-4		0,2-6		
Stranded conductors	(mm ²)	0,2-1,5		0,2-2,5		0,2-4		
Terminal block		Type	Order No	Type	Order No	Type	Order No	
		UJ6-1,5	421482	UJ6-2,5	421456	UJ6-4	421457	
Mounting rail								
Can be installed on the rails 		TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001	
		TH35-15	102005	TH35-15	102005	TH35-15	102005	
End cover								
For electrical isolation in the end of terminal blocks 		UJ6-1,5G	422163	UJ6-2,5G	422106	UJ6-4G	422107	
Group end cover								
For visual and electrical isolation in the terminal blocks				UJ5-1,5 - 4FG	422016	UJ5-1,5 - 4FG	422016	
Test accessories								
Test plug, both used together, for circuit testing		PS-2	016022	PS-2	016022	PS-2	016022	
Push-in jumpers								
Can be pushed into center of the terminal to achieve the terminals connection 		2-pos UFBS 2-3,5	423050	UFBS 2-5	423006	UFBS 2-6	423011	
		3-pos UFBS 3-3,5	423051	UFBS 3-5	423007	UFBS 3-6	423012	
		4-pos UFBS 4-3,5	423052	UFBS 4-5	423008	UFBS 4-6	423013	
		5-pos UFBS 5-3,5	423053	UFBS 5-5	423009	UFBS 5-6	423014	
		10-pos UFBS 10-3,5	423049	UFBS 10-5	423010	UFBS 10-6	423015	
		20-pos		UFBS 20-5	423028			
		30-pos		UFBS 30-5	423029			
Marker strip								
Horizontally/Vertically Can be printed 15000, or the technical data according to your requirements. 		Blank	UZB3,5T(Blank)	014593	UZB 5(Blank)	014001	UZB 6(Blank)	014002
		Horizontally	Centre UZB3,5T(Horizontally)	014597	UZB 5(Horizontally)	014005	UZB 6(Horizontally)	014007
		Vertically	UZB3,5T(Vertically)	014598	UZB 5(Vertically)	014006	UZB 6(Vertically)	014008
			UBFM 3,5T(Blank)	014599	UBFM 5(Blank)	424004	UBFM 6(Blank)	424007
			Sides UBFM 3,5T(Horizontally)	014600	UBFM 5(Horizontally)	424005	UBFM 6(Horizontally)	424008
			UBFM 3,5T(Vertical)	014601	UBFM 5(Vertical)	424006	UBFM 6(Vertical)	424009
Marker strip								
Marker strip for the combination of terminals 		UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	
Screwdriver 		YB 0,4 × 2,5	304001	YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002	
End socket								
Insulated cord end terminal 		E1008	241209	E2508	241215	E4010	241254	
Bare cord end terminal 		EN1508	241305					

UJ6 series push in terminal block



The conductor is aimed at the hole



Plug it easily



The conductor will be free easily with a screwdriver

Profile :


UJ6 series products are the newest terminal blocks researched by Shanghai UPUN Electric (Group) Co., Ltd. It's so easy to plug wires in for the special spring which will lock wires and conductors automatically. And it will be free once the release button was pressed. Being easy to connect & free wires, safety & stable, anti-seismic and maintenance-free are the advantages of them. UJ6 series wiring specifications range from 1,5mm² to 35mm², with complete product types and specifications, including ground type, double-level, 3 connections, 4 connections and fuse type, etc.. It is suitable for wiring in all areas, especially for vibration. The product possesses a number of national patents.

Features

1. Quick plug technology is applied to connect rapid wires;
2. It is easy to release conductor without special tool;
3. Full accessories: standardized bridging, testing and identification of conductors for direct connection.

Easy to connect: a solid conductor or stranded conductor with a terminal is plugged into the hole. The contact spring will be open automatically and the conductor will be locked tightly.

Terminal block
UJ6-35



CE RoHS

92/16,2/58,6
24
1000
125
35
6-35
6-35

Type	Order No
UJ6-35	421518
TH35-7,5	102001
TH35-15	102005

with cover,no need for end cover

PS-2	016022
UFBS 2-16	423023

UZB 10 (Blank)	014004
UZB 10(Horizontally)	014011
UZB 10(Vertical)	014012
UBFM 8 (Blank)	424010
UBFM 8(Horizontally)	424011
UBFM 8(Vertical)	424012

UTD-ZB	394006
YB 1,0×5,0	304004

E35-20	241272
--------	--------

UJ6 series push in terminal block

Terminal block
UJ6-6



UL US CE RoHS

Terminal block
UJ6-10



UL US CE RoHS

Terminal block
UJ6-16



UL US CE RoHS

Dimensions	UJ6-6		UJ6-10		UJ6-16		
Width/Thickness/Height (mm)	60 / 8,2 / 42,2		67,7 / 10,2 / 49,6		74 / 12,2 / 50,6		
Stripping length (mm)	16		17		22		
Technical data							
Voltage (V)	1000		1000		1000		
Current (A)	41		57		76		
Cross section (mm ²)	6		10		16		
Connection capacity							
Solid conductors (mm ²)	0,5-10		1,5-16		1,5-25		
Stranded conductors (mm ²)	0,5-6		1,5-10		1,5-16		
Terminal block							
	Type	Order No	Type	Order No	Type	Order No	
	UJ6-6	421458	UJ6-10	421510	UJ6-16	421514	
Mounting rail							
Can be installed on the rail	TH35-7.5	102001	TH35-7.5	102001	TH35-7.5	102001	
	TH35-15	102005	TH35-15	102005	TH35-15	102005	
End cover							
For electrical isolation in the end of terminal blocks	UJ6-6G	422108	UJ6-10G	422120	UJ6-16G	422122	
Group end cover							
For visual and electrical isolation in the terminal blocks	UJ5-6FG	422017					
Test accessories							
Test plug, both used together, for circuit testing	PS-2	016022	PS-2	016022	PS-2	016022	
Push-in jumpers							
Can be pushed into center of the terminal to achieve the terminals connection	2-pos UFBS 2-8	423016	UFBS 2-10	423021	UFBS 2-12	423022	
	3-pos UFBS 3-8	423017					
	4-pos UFBS 4-8	423018					
	5-pos UFBS 5-8	423019					
	10-pos UFBS 10-8	423020					
	30-pos						
Marker strip							
Horizontally/Vertically Can be printed 1-600, or the technical data according to your requirements.	Blank	UZB 8 (Blank)	014003	UZB 10 (Blank)	014004	UZB 10 (Blank)	014004
	Horizontally 1 2 3 4 5 6 7	Centre UZB 8 (Horizontally)	014009	UZB 10 (Horizontally)	014011	UZB 10 (Horizontally)	014011
	Vertically	UZB 8 (Vertical)	014010	UZB 10 (Vertical)	014012	UZB 10 (Vertical)	014012
		UBFM 8 (Blank)	424010	UBFM 8 (Blank)	424010	UBFM 8 (Blank)	424010
		Sides UBFM 8 (Horizontally)	424011	UBFM 8 (Horizontally)	424011	UBFM 8 (Horizontally)	424011
		UBFM 8 (Vertical)	424012	UBFM 8 (Vertical)	424012	UBFM 8 (Vertical)	424012
Marker strip							
Marker strip for the combination of terminals	UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	
	YB 0,6 x 4,0	304003	YB 1,0 x 5,0	304004	YB 1,0 x 5,0	304004	
Screwdriver							
End socket							
Insulated cord end terminal	E6012	241221	E10-12	241211	E16-18	241226	

Ground terminal block
UJ6-6JD



UL us CE RoHS

60 / 8,2 / 42,2
16
6
0,5-10
0,5-6

Ground terminal block
UJ6-10JD



UL us CE RoHS

67,7/10,2/49,6
17
10
1,5-16
1,5-10

Ground terminal block
UJ6-16JD



UL us CE RoHS

74/12,2/50,6
22
16
1,5-25
1,5-16

Ground terminal block
UJ6-35JD




CE RoHS

92/16,2/58,6
24
35
6-35
6-35

Type	Order No	Type	Order No	Type	Order No	Type	Order No
UJ6-6JD	421470	UJ6-10JD	421511	UJ6-16JD	421515	UJ6-35JD	421519
TH35-7.5	102001	TH35-7.5	102001	TH35-7.5	102001	TH35-7.5	102001
TH35-15	102005	TH35-15	102005	TH35-15	102005	TH35-15	102005
UJ6-6G	422108	UJ6-10G	422120	UJ6-16G	422122	with cover,no need for end cover	
		UFBS 2-10	423021	UFBS 2-12	423022	UFBS 2-16	423023
UZB 8(Blank)	014003	UZB 10(Blank)	014004	UZB 10(Blank)	014004	UZB 10(Blank)	014004
UZB 8(Horizontally)	014009	UZB 10(Horizontally)	014011	UZB 10(Horizontally)	014011	UZB 10(Horizontally)	014011
UZB 8(Vertical)	014010	UZB 10(Vertical)	014012	UZB 10(Vertical)	014012	UZB 10(Vertical)	014012
UBFM 8(Blank)	424010	UBFM 8(Blank)	424010	UBFM 8(Blank)	424010	UBFM 8(Blank)	424010
UBFM 8(Horizontally)	424011	UBFM 8(Horizontally)	424011	UBFM 8(Horizontally)	424011	UBFM 8(Horizontally)	424011
UBFM 8(Vertical)	424012	UBFM 8(Vertical)	424012	UBFM 8(Vertical)	424012	UBFM 8(Vertical)	424012
UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006
YB 0,6 x 4,0	304003	YB 1,0 x 5,0	304004	YB 1,0 x 5,0	304004	YB 1,0 x 5,0	304004
E6012	241212	E10-12	241211	E16-18	241226	E35-20	241272


UJ6 series push in terminal block

Ground terminal block
UJ6-1.5JD



CE RoHS

Ground terminal block
UJ6-2.5JD



RoHS CE RoHS

Ground terminal block
UJ6-4JD



RoHS CE RoHS

Dimensions	CE RoHS		RoHS CE RoHS		RoHS CE RoHS		
Width/Thickness/Height (mm)	46,2 / 3,5 / 30,5		48,5 / 5,2 / 35,2		55,8 / 6,2 / 35,2		
Stripping length (mm)			11		13		
Technical data							
Voltage (V)							
Current (A)							
Cross section (mm ²)	1.5		2.5		4		
Connection capacity							
Solid conductors (mm ²)			0,2-4		0,2-6		
Stranded conductors (mm ²)	0,2-1.5		0,2-2,5		0,2-4		
Terminal block	Type	Order No	Type	Order No	Type	Order No	
	UJ6-1,5JD	421483	UJ6-2,5JD	421462	UJ6-4JD	421469	
Mounting rail							
Can be installed on the rail	TH35-7.5	102001	TH35-7.5	102001	TH35-7.5	102001	
	TH35-15	102005	TH35-15	102005	TH35-15	102005	
End cover							
For electrical isolation in the end of terminal blocks.	UJ6-1,5G	422163	UJ6-2,5G	422106	UJ6-4G	422107	
Test accessories							
Test plug, both used together, for circuit testing	PS-2	016022					
Push-in jumpers							
Can be push into center of the terminal to achieve the terminals connection	2-pos UFBS 2-3,5 423050	423050	UFBS 2-5 UFBS 3-5 423007	423006	UFBS 2-6 UFBS 3-6 423012	423011	
	3-pos UFBS 3-3,5 423051	423051	UFBS 4-5 UFBS 5-5 423010	423008	UFBS 4-6 UFBS 5-6 423014	423013	
	4-pos UFBS 4-3,5 423052	423052	UFBS 10-5 UFBS 20-5 423028	423009	UFBS 6-6 UFBS 10-6 423015	423014	
	5-pos UFBS 5-3,5 423053	423053	UFBS 30-5 423029	423010		423015	
	10-pos UFBS 10-3,5 423049	423049					
	20-pos						
	30-pos						
Marker strip							
Horizontally/Vertically Can be printed 1-600, or the technical data according to your requirements.	Blank	UZB3,5T (Blank)	014593	UZB 5 (Blank)	014001	UZB 6 (Blank)	014002
	Horizontally	UZB3,5T (Horizontally)	014597	UZB 5 (Horizontally)	014005	UZB 6 (Horizontally)	014007
	Vertically	Centre UZB3,5T (Vertical)	014598	UZB 5-10 (Vertical)	014006	UZB 6 (Vertical)	014008
		UBFM 3,5T (Blank)	014599	UBFM 5 (Blank)	424004	UBFM 6 (Blank)	424007
		UBFM 3,5T (Horizontally)	014600	UBFM 5 (Horizontally)	424005	UBFM 6 (Horizontally)	424008
		Sides UBFM 3,5T (Vertical)	014601	UBFM 5 (Vertical)	424006	UBFM 6 (Vertical)	424009
Marker strip							
Marker strip for the combination of terminals	UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	
Screwdriver	YB 0,4 x 2,5	304001	YB 0,6 x 3,5	304002	YB 0,6 x 3,5	304002	
End socket							
Insulated cord end terminal	E1008	241209	E2508	241215	E4010	241254	
Bare cord end terminal	EN1508	241305					

Dissection type terminal block
UJ6-4FD



CE RoHS

59/6,2/35,2
16
500
20
4
0,2-6
0,2-4


Terminal block with 3 connections
UJ6-1.5/1 × 2



CE RoHS

54 / 3,5 / 30,5
11
500
17,5
1,5
0,2-1,5

Terminal block with 3 connections
UJ6-2.5/1 × 2



us CE RoHS

60,4/5,2/35,2
11
800
24
2,5
0,2-4
0,2-2,5

Terminal block with 3 connections
UJ6-4/1 × 2



us CE RoHS

68,4/6,2/35,2
13
800
32
4
0,2-6
0,2-4

Type	Order No	Type	Order No	Type	Order No	Type	Order No
UJ6-4FD	421500	UJ6-1.5/1×2	421484	UJ6-2.5/1 × 2	421463	UJ6-4/1 × 2	421471
		UJ6-1.5/1×2(BU)	421779				
TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001
TH35-15	102005	TH35-15	102005	TH35-15	102005	TH35-15	102005
UJ6-4SKG	422124	UJ6-1.5/1×2G	422164	UJ6-2.5/1 × 2G	422109	UJ6-4/1 × 2G	422112
				UJ5-1,5 -- 4/1 × 2FG	422019	UJ5-1,5 -- 4/1 × 2FG	422019
PS-2	016022	PS-2	016022	PS-2	016022	PS-2	016022
UFBS 2-6	423011	UFBS 2-3,5	423050	UFBS 2-5	423006	UFBS 2-6	423011
UFBS 3-6	423012	UFBS 3-3,5	423051	UFBS 3-5	423007	UFBS 3-6	423012
UFBS 4-6	423013	UFBS 4-3,5	423052	UFBS 4-5	423008	UFBS 4-6	423013
UFBS 5-6	423014	UFBS 5-3,5	423053	UFBS 5-5	423009	UFBS 5-6	423014
UFBS 10-6	423015	UFBS 10-3,5	423049	UFBS 10-5	423010	UFBS 10-6	423015
				UFBS 20-5	423028		
				UFBS 30-5	423029		
				UJ5 5-2/ZB	422058		
				UJ5 5-25×12	422059		
		UZB3,5T(Blank)	014593	UZB 5(Blank)	014001	UZB 6(Blank)	014002
		UZB3,5T(Horizontally)	014597	UZB 5(Horizontally)	014005	UZB 6(Horizontally)	014007
		UZB3,5T(Vertical)	014598	UZB 5(Vertical)	014006	UZB 6(Vertical)	014008
UBFM 6(Blank)	424007	UBFM 3,5T(Blank)	014599	UBFM 5(Blank)	424004	UBFM 6(Blank)	424007
UBFM 6(Horizontally)	424008	UBFM 3,5T(Horizontally)	014600	UBFM 5(Horizontally)	424005	UBFM 6(Horizontally)	424008
UBFM 6(Vertical)	424009	UBFM 3,5T(Vertical)	014601	UBFM 5(Vertical)	424006	UBFM 6(Vertical)	424009
UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006
YB 0,6 × 3,5	304002	YB 0,4 × 2,5	304001	YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002
E4010	241254	E1008	241209	E2508	241215	E4010	241254
		EN1508	241305				

UJ6 series push in terminal block

Knife disconnect terminal block with test socket screw
UJ6-2.5SK



CE RoHS

Dissection type terminal block
UJ6-2.5FD



CE RoHS

Knife disconnect terminal block with test socket screw
UJ6-4SK



UL vs CE RoHS

Dimensions							
Width/Thickness/Height	(mm)	59,4/5,2/35,2		59,4/5,2/35,2		59,6/2/35,2	
Stripping length	(mm)	11		11		13	
Technical data							
Voltage	(V)	500		500		500	
Current	(A)	20		20		20	
Cross section	(mm ²)	2,5		2,5		4	
Connection capacity							
Solid conductors	(mm ²)	0,2-4		0,2-4		0,2-6	
Stranded conductors	(mm ²)	0,2-2,5		0,2-2,5		0,2-4	
Terminal block	Type	Order No	Type	Order No	Type	Order No	
	UJ6-2,5SK	421490	UJ6-2,5FD	421493	UJ6-4SK	421496	

BU:Blue

Mounting rail							
Can be installed on the rails		TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001
		TH35-15	102005	TH35-15	102005	TH35-15	102005

End cover							
For electrical isolation in the end of terminal blocks		UJ6-2,5SKG	422114	UJ6-2,5SKG	422114	UJ6-4SKG	422124

Group end cover							
For visual and electrical isolation in the terminal blocks		UJ5-1,5-4/1×2FG	422019	UJ5-1,5-4/1×2FG	422019		

Test accessories							
Test plug, both used together, for circuit testing		PS-2	016022	PS-2	016022	PS-2	016022

Push-in jumpers							
Can be push into center of the terminal to achieve the terminals connection		UFBS 2-5	423006	UFBS 2-5	423006	UFBS 2-6	423011
		UFBS 3-5	423007	UFBS 3-5	423007	UFBS 3-6	423012
		UFBS 4-5	423008	UFBS 4-5	423008	UFBS 4-6	423013
		UFBS 5-5	423009	UFBS 5-5	423009	UFBS 5-6	423014
		UFBS 10-5	423010	UFBS 10-5	423010	UFBS 10-6	423015
		UFBS 20-5	423028	UFBS 20-5	423028		
		UFBS 30-5	423029	UFBS 30-5	423029		

Marker support							
Please refer to the attachment for the uses.							

Marker strip							
Horizontally/Vertically Can be printed 1-600, or the technical data according to your requirements.		UBZB 5 (Blank)	014001	UBZB 5 (Blank)	014001		
		Centre UBZB 5 (Horizontally)	014005	UBZB 5 (Horizontally)	014005		
		UBZB 5 (Vertical)	014006	UBZB 5 (Vertical)	014006		
		UBFM 5 (Blank)	424004	UBFM 5 (Blank)	424004	UBFM 6 (Blank)	424007
		Sides UBFM 5 (Horizontally)	424005	UBFM 5 (Horizontally)	424005	UBFM 6 (Horizontally)	424008
		UBFM 5 (Vertical)	424006	UBFM 5 (Vertical)	424006	UBFM 6 (Vertical)	424009

Marker strip							
Marker strip for the combination of terminals		UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006

Screwdriver							
		YB 0,6×3,5	304002	YB 0,6×3,5	304002	YB 0,6×3,5	304002

End socket							
Insulated cord end terminal		E2508	241215	E2508	241215	E4010	241254
Bare cord end terminal							

Terminal block with 4 connections
UJ6-1,5/2 × 2

 Terminal block with 4 connections
UJ6-2,5/2 × 2

 Terminal block with 4 connections
UJ6-4/2 × 2

 Terminal block with 4 connections
UJ6-6/2 × 2


CE RoHS	
63,4 / 3,5 / 30,5	
11	
500	
17,5	
1,5	
0,2-1,5	

Eurasian RoHS	
72,2 / 5,2 / 35,2	
11	
800	
24	
2,5	
0,2-4	
0,2-2,5	


Eurasian RoHS	
81,8/6,2/35,2	
13	
800	
32	
4	
0,2-6	
0,2-4	

Eurasian RoHS	
94/8,2/42,2	
16	
1000	
41	
6	
0,5-10	
0,5-6	

Type	Order No	Type	Order No	Type	Order No	Type	Order No
UJ6-1,5/2 × 2	421486	UJ6-2,5/2 × 2	421465	UJ6-4/2 × 2	421473	UJ6-6/2 × 2	421507
UJ6-1,5/2 × 2 (BU)	421780						
TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001
TH35-15	102005	TH35-15	102005	TH35-15	102005	TH35-15	102005
UJ6-1,5/2 × 2G	422165	UJ6-2,5/2 × 2G	422110	UJ6-4/2 × 2G	422113	UJ6-6/2 × 2G	422119
		UJ5-1,5~4/2 × 2FG	422018	UJ5-1,5~4/2 × 2FG	422018		
PS-2	016022	PS-2	016022	PS-2	016022	PS-2	016022
UFBS 2-3,5	423050	UFBS 2-5	423006	UFBS 2-6	423011	UFBS 2-8	423016
UFBS 3-3,5	423051	UFBS 3-6	423007	UFBS 3-6	423012	UFBS 3-8	423017
UFBS 4-3,5	423052	UFBS 4-5	423008	UFBS 4-6	423013	UFBS 4-8	423018
UFBS 5-3,5	423053	UFBS 5-6	423009	UFBS 5-6	423014	UFBS 5-8	423019
UFBS 10-3,5	423049	UFBS 10-5	423010	UFBS 10-6	423015	UFBS 10-8	423020
		UFBS 20-5	423028				
		UFBS 30-5	423029				
		UJ5 5-2/ZB 2pcs UZB5 marker strip can be installed	422058				
		UJ5 5-25 × 12	422059				
UZB3,5T(Blank)	014593	UZB 5(Blank)	014001	UZB 6(Blank)	014002	UZB 8(Blank)	014003
UZB3,5T(Horizontally)	014597	UZB 5(Horizontally)	014005	UZB 6(Horizontally)	014007	UZB 8(Horizontally)	014009
UZB3,5T(Vertical)	014598	UZB 5(Vertical)	014006	UZB 6(Vertical)	014008	UZB 8(Vertical)	014010
UBFM 3,5T(Blank)	014599	UBFM 5(Blank)	424004	UBFM 6(Blank)	424007	UBFM 8(Blank)	424010
UBFM 3,5T(Horizontally)	014600	UBFM 5(Horizontally)	424005	UBFM 6(Horizontally)	424008	UBFM 8(Horizontally)	424011
UBFM 3,5T(Vertical)	014601	UBFM 5(Vertical)	424006	UBFM 6(Vertical)	424009	UBFM 8(Vertical)	424012
UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006
YB 0,4 × 2,5	304001	YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002	YB 0,6 × 4,0	304003
E1008	241209	E2508	241215	E4010	241254	E6012	241221
EN1508	241305						

UJ6 series push in terminal block


Terminal block with 3 connections
UJ6-6/1 × 2



Terminal block with 3 connections
UJ6-10/1 × 2



Terminal block with 3 connections
UJ6-16/1 × 2



		UL US CE RoHS		UL US CE RoHS		UL US CE RoHS		
Dimensions								
Width/Thickness/Height	(mm)	77/8,2/42,2		89 / 10,2 / 49,6		98 / 12,2 / 50,6		
Stripping length	(mm)	16		17		22		
Technical data								
Voltage	(V)	1000		1000		1000		
Current	(A)	41		57		76		
Cross section	(mm ²)	6		10		16		
Connection capacity								
Solid conductors	(mm ²)	0,5-10		1,5-16		1,5-25		
Stranded conductors	(mm ²)	0,5-6		1,5-10		1,5-16		
Terminal block		Type	Order No	Type	Order No	Type	Order No	
		UJ6-6/1 × 2	421505	UJ6-10/1 × 2	421512	UJ6-16/1 × 2	421516	
	BU:Blue							
Mounting rail								
Can be installed on the rail		TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001	
		TH35-15	102005	TH35-15	102005	TH35-15	102005	
End cover								
For electrical isolation in the end of terminal blocks.		UJ6-6/1 × 2G	422118	UJ6-10/1 × 2G	422121	UJ6-16/1 × 2G	422123	
Group end cover								
For visual and electrical isolation in the terminal blocks		UJ5-6/1 × 2FG	422044					
Test accessories								
Test plug, both used together, for circuit testing		PS-2	016022	PS-2	016022	PS-2	016022	
Push-in jumpers								
Can be pushed into center of the terminal to achieve the terminals connection		UFBS 2-8	423016	UFBS 2-10	423021	UFBS 2-12	423022	
		UFBS 3-8	423017					
		UFBS 4-8	423018					
		UFBS 5-8	423019					
		UFBS 10-8	423020					
Marker support								
Please refer to the attachment for the uses.								
Marker strip								
Horizontally/Vertically Can be printed 1-600, or the technical data according to your requirements.		Blank	UZB 8 (Blank)	014003	UZB 10 (Blank)	014004	UZB 10 (Blank)	014004
Horizontally		1 2 3 4 5 6 7	Centre UZB 8 (Horizontally)	014009	UZB 10 (Horizontally)	014011	UZB 10 (Horizontally)	014011
Vertically		1 2 3 4 5 6 7	UZB 8 (Vertical)	014010	UZB 10 (Vertical)	014012	UZB 10 (Vertical)	014012
			UBFM 8 (Blank)	424010	UBFM 8 (Blank)	424010	UBFM 8 (Blank)	424010
			Sides UBFM 8 (Horizontally)	424011	UBFM 8 (Horizontally)	424011	UBFM 8 (Horizontally)	424011
			UBFM 8 (Vertical)	424012	UBFM 8 (Vertical)	424012	UBFM 8 (Vertical)	424012
Marker strip								
Marker strip for the combination of terminals		UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	
Screwdriver		YB 0,6 × 4,0	304003	YB 1,0 × 5,0	304004	YB 1,0 × 5,0	304004	
End socket								
Insulated cord end terminal		E6012	241221	E10-12	241211	E16-18	241226	
Bare cord end terminal								

Three-level terminal block
UJ6-2.5/3-3




CE RoHS	
102,2/5,2/56,5	
11	
800	
24	
2,5	
0,2-4	
0,2-2,5	

Double-level diode terminal block
UJ6-2.5/2-2D




CE RoHS	
67,6 / 5,2 / 45,8	
11	
800	
24	
2,5	
0,2-4	
0,2-2,5	

Knife disconnect terminal block
with testsocket screw and 4 connections
UJ6-2.5/1 × 2SK



CE RoHS	
71,2/5,2/35,2	
11	
500	
20	
2,5	
0,2-4	
0,2-2,5	

Knife disconnect terminal block
with testsocket screw and 4 connections
UJ6-2.5/2 × 2SK



CE RoHS	
84/5,2/35,2	
11	
500	
20	
2,5	
0,2-4	
0,2-2,5	

Type	Order No
UJ6-2.5/3-3	421755
TH35-7,5	102001
TH35-15	102005
PS-2	016022
UFBS 2-5	423006
UFBS 3-5	423007
UFBS 4-5	423008
UFBS 5-5	423009
UFBS 10-5	423010
UFBS 20-5	423028
UFBS 30-5	423029
UJ5 5-2	422009
UJ5 5-2/S	422057
UJ5 5-3	422060
UBFM 5(Blank)	424004
UBFM 5(Horizontally)	424005
UBFM 5(Vertical)	424006
YB 0,6 × 3,5	304002
E2508	241215


Type	Order No
UJ6-2.5/2-2D	421787
TH35-7,5	102001
TH35-15	102005
UJ6-2.5/2-2G	422111
UJ5-1,5 ~ 4/2-2FG	422020
PS-2	016022
UFBS 2-5	423006
UFBS 3-5	423007
UFBS 4-5	423008
UFBS 5-5	423009
UFBS 10-5	423010
UFBS 20-5	423028
UFBS 30-5	423029
UJ5 5-2	422009
UJ5 5-2/S	422057
UBFM 5(Blank)	424004
UBFM 5(Horizontally)	424005
UBFM 5(Vertical)	424006
YB 0,6 × 3,5	304002
E2508	241215

Type	Order No
UJ6-2.5/1×2SK	421491
TH35-7,5	102001
TH35-15	102005
UJ6-2.5/1×2SKG	422125
UJ5-1,5 ~ 4/2×2FG	422018
PS-2	016022
UFBS 2-5	423006
UFBS 3-5	423007
UFBS 4-5	423008
UFBS 5-5	423009
UFBS 10-5	423010
UFBS 20-5	423028
UFBS 30-5	423029
UTD-ZB	394006
YB 0,6 × 3,5	304002
E2508	241215

Type	Order No
UJ6-2.5/2×2SK	421492
TH35-7,5	102001
TH35-15	102005
UJ6-2.5/2×2SKG	422126
PS-2	016022
UFBS 2-5	423006
UFBS 3-5	423007
UFBS 4-5	423008
UFBS 5-5	423009
UFBS 10-5	423010
UFBS 20-5	423028
UFBS 30-5	423029
UTD-ZB	394006
YB 0,6 × 3,5	304002
E2508	241215

UJ6 series push in terminal block

Terminal block with 4 connections
UJ6-1.5/2-2



CE RoHS

Double-level terminal block
UJ6-2.5/2-2



UL vs CE RoHS

Double-level terminal block
UJ6-4/2-2



UL vs CE RoHS

Dimensions		CE RoHS		UL vs CE RoHS		UL vs CE RoHS
Width/Thickness/Height (mm)		65.8 / 3.5 / 41.1		67.6 / 5.2 / 45.8		83.6/6.2/45.8
Stripping length (mm)		11		11		13
Technical data						
Voltage (V)		500		800		800
Current (A)		16		24		32
Cross section (mm ²)		1.5		2.5		4
Connection capacity						
Solid conductors (mm ²)				0.2-4		0.2-6
Stranded conductors (mm ²)		0.2-1.5		0.2-2.5		0.2-4

Terminal block	Type	Order No	Type	Order No	Type	Order No
	UJ6-1.5/2-2	421488	UJ6-2.5/2-2	421467	UJ6-4/2-2	421496

Mounting rail					
Can be installed on the rails		TH35-7.5	102001	TH35-7.5	102001
		TH35-15	102005	TH35-15	102005

End cover					
For electrical isolation in the end of terminal blocks.		UJ6-1.5/2-2G	422160	UJ6-2.5/2-2G	422111
		UJ6-4/2-2G	422116		

Group end cover					
For visual and electrical isolation in the terminal blocks		UJ5-1.5~4/2-2FG	422020	UJ5-1.5~4/2-2FG	422020

Test accessories					
Test plug, both used together, for circuit testing		PS-2	016022	PS-2	016022

Push-in jumpers					
Can be pushed into center of the terminal to achieve the terminal connection		UFBS 2-3.5	423050	UFBS 2-5	423006
		UFBS 3-3.5	423051	UFBS 3-5	423007
		UFBS 4-3.5	423052	UFBS 4-5	423008
		UFBS 5-3.5	423053	UFBS 5-5	423009
		UFBS 10-3.5	423049	UFBS 10-4	423010
				UFBS 20-5	423028
				UFBS 30-5	423029
				UFBS 2-6	423011
				UFBS 3-6	423012
				UFBS 4-6	423013
				UFBS 5-6	423014
				UFBS 10-6	423015

Marker support					
Please refer to the attachment for the uses.		UJ5 5-2	422009		
		UJ5 5-2/S	422057		

Marker strip					
Horizontally/Vertically Can be printed 1-4000, or the technical data according to your requirements.		Blank			
		Horizontally	1 2 3 4 5 6 7	Centre	
		Vertically	1 2 3 4 5 6 7		
		UBFM 3,5T (Blank)	014599	UBFM 5 (Blank)	424004
		UBFM 3,5T (Horizontally)	014600	UBFM 5 (Horizontally)	424005
		UBFM 3,5T (Vertical)	014601	UBFM 5 (Vertical)	424006
				UBFM 6 (Blank)	424007
				UBFM 6 (Horizontally)	424008
				UBFM 6 (Vertical)	424009

Marker strip					
Marker strip for the combination of terminals		UTD-ZB	394006		

Screwdriver					
		YB 0, 4×2,5	304001	YB 0.6×3,5	304002
		YB 0.6×3,5	304002	YB 0.6×3,5	304002

End socket					
Insulated cord end terminal		E1008	241209	E2508	241215
		EN1508	241305	E4010	241254

UJ6 series push in terminal block


Ground terminal block
with 3 connections
UJ6-6/1 × 2JD



UL US CE RoHS

77/8,2/42,2
16
6
0,5-10
0,5-6

Ground terminal block
with 3 connections
UJ6-10/1 × 2JD



UL US CE RoHS

89 / 10,2 / 49,6
17
10
1,5-16
1,5-10


Ground terminal block
with 3 connections
UJ6-16/1 × 2JD



UL US CE RoHS

98 / 12,2 / 50,6
22
16
1,5-25
1,5-16

Ground terminal block
with 4 connections
UJ6-1,5/2 × 2JD



CE RoHS

63,4 / 3,5 / 30,5
1,5
0,2-1,5

Type	Order No	Type	Order No	Type	Order No	Type	Order No
UJ6-6/1 × 2JD	421506	UJ6-10/1 × 2JD	421513	UJ6-16/1 × 2JD	421517	UJ6-1,5/2 × 2JD	421487
TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001
TH35-15	102005	TH35-15	102005	TH35-15	102005	TH35-15	102005
UJ6-6/1 × 2G	422118	UJ6-10/1 × 2G	422121	UJ6-16/1 × 2G	422123	UJ6-1,5/2 × 2G	422165
		UFBS 2-10	423021	UFBS 2-12	423022	PS-2	016022
						UFBS 2-3,5	423050
						UFBS 3-3,5	423051
						UFBS 4-3,5	423052
						UFBS 5-3,5	423053
						UFBS 10-3,5	423049
UZB 8(Blank)	014003	UZB 10(Blank)	014004	UZB 10(Blank)	014004	UZB3,5T(Blank)	014593
UZB 8(Horizontally)	014009	UZB 10(Horizontally)	014011	UZB 10(Horizontally)	014011	UZB3,5T(Horizontally)	014597
UZB 8(Vertically)	014010	UZB 10(Vertically)	014012	UZB 10(Vertically)	014012	UZB3,5T(Vertically)	014598
UBFM 8(Blank)	424010	UBFM 8(Blank)	424010	UBFM 8(Blank)	424010	UBFM 3,5T(Blank)	014599
UBFM 8(Horizontally)	424011	UBFM 8(Horizontally)	424011	UBFM 8(Horizontally)	424011	UBFM 3,5T(Horizontally)	014600
UBFM 8(Vertically)	424012	UBFM 8(Vertically)	424012	UBFM 8(Vertically)	424012	UBFM 3,5T(Vertically)	014601
UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006
YB 0,6 × 4,0	304003	YB 1,0 × 5,0	304004	YB 1,0 × 5,0	304004	YB 0,4 × 2,5	304001
E6012	241221	E10-12	241211	E16-18	241226	E1008	241209
						EN1508	241305

UJ6 series push in terminal block

UJ6 series push in terminal block

Ground terminal block
with 3 connections

UJ6-1.5/1 × 2JD




Ground terminal block
with 3 connections

UJ6-2.5/1 × 2JD

Ground terminal block
with 3 connections

UJ6-4/1 × 2JD



UL US CE RoHS

UL US CE RoHS

UL US CE RoHS




Dimensions							
Width/Thickness/Height	(mm)	54 / 3,5 / 30,5		60,4 / 5,2 / 35,2		68,4 / 6,2 / 35,2	
Stripping length	(mm)			11		13	
Technical data							
Voltage	(V)						
Current	(A)						
Cross section	(mm ²)	1.5		2.5		4	
Connection capacity							
Solid conductors	(mm ²)			0,2-4		0,2-6	
Stranded conductors	(mm ²)	0,2-1.5		0,2-2.5		0,2-4	
Terminal block	Type	Order No	Type	Order No	Type	Order No	
	UJ6-1.5/1 × 2JD	421485	UJ6-2.5/1 × 2JD	421464	UJ6-4/1 × 2JD	421472	
Mounting rail							
Can be installed on the rails		TH35-7.5	102001	TH35-7.5	102001	TH35-7.5	102001
		TH35-15	102005	TH35-15	102005	TH35-15	102005
End cover							
For electrical isolation in the end of terminal blocks.		UJ6-1.5/1 × 2G	422164	UJ6-2.5/1 × 2G	422109	UJ6-4/1 × 2G	422112
Test accessories							
Test plug, both used together, for circuit testing		PS-2	016022				
Push-in jumpers							
Can be push into center of the terminal to achieve the terminals connection		2-pos UFBS 2-3,5	423050	UFBS 2-5	423006	UFBS 2-6	423011
		3-pos UFBS 3-3,5	423051	UFBS 3-5	423007	UFBS 3-6	423012
		4-pos UFBS 4-3,5	423052	UFBS 4-5	423008	UFBS 4-6	423013
		5-pos UFBS 5-3,5	423053	UFBS 5-5	423009	UFBS 5-6	423014
		10-pos UFBS 10-3,5	423049	UFBS 10-5	423010	UFBS 10-6	423015
		20-pos UFBS 20-5	423028	UFBS 20-5	423028		
		30-pos UFBS 30-5	423029	UFBS 30-5	423029		
Marker strip							
Horizontally/Vertically Can be printed 1-600, or the technical data according to your requirements.		UZB3.5T (Blank)	014593	UZB 5 (Blank)	014001	UZB 6 (Blank)	014002
		Centre UZB3.5T (Horizontally)	014597	UZB 5 (Horizontally)	014005	UZB 6 (Horizontally)	014007
		UZB3.5T (Vertical)	014598	UZB 5 (Vertical)	014006	UZB 6 (Vertical)	014008
		UBFM 3,5T (Blank)	014599	UBFM 5 (Blank)	424004	UBFM 6 (Blank)	424007
		Sides UBFM 3,5T (Horizontally)	014600	UBFM 5 (Horizontally)	424005	UBFM 6 (Horizontally)	424008
		UBFM 3,5T (Vertical)	014601	UBFM 5 (Vertical)	424006	UBFM 6 (Vertical)	424009
Marker strip							
Marker strip for the combination of terminals		UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006
Screwdriver							
		YB 0,4 × 2,5	304001	YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002
End socket							
Insulated cord end terminal		E1008	241209	E2508	241215	E4010	241254
Bare cord end terminal		EN1508	241305				

Double-level ground terminal block
UJ6-1.5/2-2JD

Double-level ground terminal block
UJ6-2.5/2-2JD

Double-level ground terminal block
UJ6-4/2-2JD

Three-level ground terminal block
UJ6-2.5/3-3JD



CE RoHS

us CE RoHS

us CE RoHS

CE RoHS


65,8 / 3,5 / 41,1	67,6 / 5,2 / 45,8	83,6/6,2/45,8	99, 5/5,2/56,5
	11	13	11
1,5	2,5	4	2,5
0,2-1,5	0,2-4	0,2-6	0,2-4
	0,2-2,5	0,2-4	0,2-2,5

Type	Order No	Type	Order No	Type	Order No	Type	Order No
UJ6-1.5/2-2JD	421489	UJ6-2.5/2-2JD	421488	UJ6-4/2-2JD	421487	UJ6-2.5/3-3JD	421763
TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001
TH35-15	102005	TH35-15	102005	TH35-15	102005	TH35-15	102005
UJ5-1,5/2-2G	422167	UJ6-2,5/2-2G	422111	UJ6-4/2-2G	422116	UJ6-2,5/3-3G	422161
PS-2	016022						
UFBS 2-3,5	423050	UFBS 2-5	423006	UFBS 2-6	423011	UFBS 2-5	423006
UFBS 3-3,5	423051	UFBS 3-5	423007	UFBS 3-6	423012	UFBS 3-5	423007
UFBS 4-3,5	423052	UFBS 4-5	423008	UFBS 4-6	423013	UFBS 4-5	423008
UFBS 5-3,5	423053	UFBS 5-5	423009	UFBS 5-6	423014	UFBS 5-5	423009
UFBS 10-3,5	423049	UFBS 10-5	423010	UFBS 10-6	423015	UFBS 10-5	423010
		UFBS 20-5	423028			UFBS 20-5	423028
		UFBS 30-5	423029			UFBS 30-5	423029
		UJ5 5-2	422009	UJ5 5-2	422009	UJ5 5-2	422009
		UJ5 5-2/S	422057	UJ5 5-2/S	422057	UJ5 5-2/S	422057
						UJ5 5-3	422060
UBFM 3,5T(Blank)	014599	UBFM 5(Blank)	424004	UBFM 6(Blank)	424007	UBFM 5(Blank)	424004
UBFM 3,5T(Horizontally)	014600	UBFM 5(Horizontally)	424005	UBFM 6(Horizontally)	424008	UBFM 5(Horizontally)	424005
UBFM 3,5T(Vertical)	014601	UBFM 5(Vertical)	424006	UBFM 6(Vertical)	424009	UBFM 5(Vertical)	424006
UTD-ZB	394006			UTD-ZB	394006		
YB 0,4 x 2,5	304001	YB 0,6 x 3,5	304002	YB 0,6 x 3,5	304002	YB 0,6 x 3,5	304002
E1008	241209	E2508	241215	E4010	241254	E2508	241215
EN1508	241305						

UJ6 series push in terminal block

Ground terminal block
with 4 connections

UJ6-2.5/2 × 2JD




Ground terminal block
with 4 connections

UJ6-4/2 × 2JD



Ground terminal block
with 4 connections

UJ6-6/2 × 2JD



		UL US CE RoHS		UL US CE RoHS		UL US CE RoHS	
Dimensions							
Width/Thickness/Height	(mm)	72.2 / 5.2 / 35.2		81.8/6.2/35.2		94/8.2/42.2	
Stripping length	(mm)	11		13		16	
Technical data							
Voltage	(V)						
Current	(A)						
Cross section	(mm ²)	2.5		4		6	
Connection capacity							
Solid conductors	(mm ²)	0.2-4		0.2-6		0.5-10	
Stranded conductors	(mm ²)	0.2-2.5		0.2-4		0.5-6	
Terminal block		Type	Order No	Type	Order No	Type	Order No
		UJ6-2.5/2 × 2JD	421466	UJ6-4/2 × 2JD	421474	UJ6-6/2 × 2JD	421508
Mounting rail							
Can be installed on the rails		TH35-7.5	102001	TH35-7.5	102001	TH35-7.5	102001
		TH35-15	102005	TH35-15	102005	TH35-15	102005
End cover							
For electrical isolation in the end of terminal blocks,		UJ6-2.5/2 × 2G	422110	UJ6-4/2 × 2G	422113	UJ6-6/2 × 2G	422119
Group end cover							
For visual and electrical isolation in the terminal blocks							
Test accessories							
Test plug, both used together, for circuit testing							
Push-in jumpers							
Can be push into center of the terminal to achieve the terminals connection		2-pos UFBS 2-5	423006	UFBS 2-6	423011		
		3-pos UFBS 3-5	423007	UFBS 3-6	423012		
		4-pos UFBS 4-5	423008	UFBS 4-6	423013		
		5-pos UFBS 5-5	423009	UFBS 5-6	423014		
		10-pos UFBS 10-5	423010	UFBS 10-6	423015		
		20-pos UFBS 20-5	423028				
		30-pos UFBS 30-5	423029				
Marker support							
Please refer to the attachment for the uses,							
Marker strip							
Horizontally/Vertically Can be printed (+20), or the technical data according to your requirements,		UBZ 5 (Blank)	014001	UBZ 6 (Blank)	014002	UBZ 8 (Blank)	014003
		Centre UBZ 5 (Horizontally)	014005	UBZ 6 (Horizontally)	014007	UBZ 8 (Horizontally)	014009
		UBZ 5 (Vertical)	014006	UBZ 6 (Vertical)	014008	UBZ 8 (Vertical)	014010
		UBFM 5 (Blank)	424004	UBFM 6 (Blank)	424007	UBFM 8 (Blank)	424010
		Sides UBFM 5 (Horizontally)	424005	UBFM 6 (Horizontally)	424008	UBFM 8 (Horizontally)	424011
		UBFM 5 (Vertical)	424006	UBFM 6 (Vertical)	424009	UBFM 8 (Vertical)	424012
Marker strip							
Marker strip for the combination of terminals		UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006
Screwdriver							
		YB 0.6 × 3.5	304002	YB 0.6 × 3.5	304002	YB 0.6 × 4.0	304003
End socket							
Insulated cord end terminal		E2508	241215	E4010	241254	E6012	241212
Bare cord end terminal							

Three-level terminal block
UJ6-2.5JD/L/L



CE RoHS

99, 5/5,2/56,5
11
800
24(当连接截面积为4 mm²的导线时)
2,5
0,2-4
0,2-2,5

Type Order No

UJ6-2.5JD/L/L	421764
TH35-7,5	102001
TH35-15	102005
UJ6-2,5/3-3G	422161
PS-2	016022
UFBS 2-5	423006
UFBS 3-5	423007
UFBS 4-5	423008
UFBS 5-5	423009
UFBS 10-5	423010
UFBS 20-5	423028
UFBS 30-5	423029
UJ5 5-2	422009
UJ5 5-2/S	422057
UJ5 5-3	422060
UZB 5(Blank)	014001
UZB 5(Horizontally)	014005
UZB 5(Vertical)	014006
UBFM 5(Blank)	424004
UBFM 5(Horizontally)	424005
UBFM 5(Vertical)	424006
UTD-ZB	394006
YB 0,6×3,5	304002
E2508	241215

Three-level terminal block
UJ6-2.5JD/L/N



CE RoHS

99, 5/5,2/56,5
11
800
24(当连接截面积为4 mm²的导线时)
2,5
0,2-4
0,2-2,5

Type Order No

UJ6-2.5JD/L/N	421765
TH35-7,5	102001
TH35-15	102005
UJ6-2,5/3-3G	422161
PS-2	016022
UFBS 2-5	423006
UFBS 3-5	423007
UFBS 4-5	423008
UFBS 5-5	423009
UFBS 10-5	423010
UFBS 20-5	423028
UFBS 30-5	423029
UJ5 5-2	422009
UJ5 5-2/S	422057
UJ5 5-3	422060
UZB 5(Blank)	014001
UZB 5(Horizontally)	014005
UZB 5(Vertical)	014006
UBFM 5(Blank)	424004
UBFM 5(Horizontally)	424005
UBFM 5(Vertical)	424006
UTD-ZB	394006
YB 0,6×3,5	304002
E2508	241215

Four-level motor terminal block
UJ6-2.5JD/3L



CE RoHS

99,5/5,2/91,1
11
800
2,5
4
0,2-2,5

Type Order No

UJ6-2.5JD/3L	421754
TH35-7,5	102001
TH35-15	102005
UJ6-2,5JD/3LG	422159
PS-2	016022
UFBS 2-5	423006
UFBS 3-5	423007
UFBS 4-5	423008
UFBS 5-5	423009
UFBS 10-5	423010
UFBS 20-5	423028
UFBS 30-5	423029
UJ5 5-2	422009
UJ5 5-2/S	422057
UJ5 5-3	422060
UZB 5(Blank)	014001
UZB 5(Horizontally)	014005
UZB 5(Vertical)	014006
UBFM 5(Blank)	424004
UBFM 5(Horizontally)	424005
UBFM 5(Vertical)	424006
UTD-ZB	394006
YB 0,6×3,5	304002
E2508	241215

Fuse terminal block
UJ6-4RD (5×20)



CE RoHS

59/6,2/63,5
13
500
6,3
4
0,2-6
0,2-4

Type Order No

UJ6-4RD (5×20)	421502
TH35-7,5	102001
TH35-15	102005
UJ6-4RD (5×20)G	422115
PS-2	016022
UFBS 2-6	423011
UFBS 3-6	423012
UFBS 4-6	423013
UFBS 5-6	423014
UFBS 10-6	423015
UJ5 5-2	422009
UJ5 5-2/S	422057
UJ5 5-3	422060
UZB 6(Blank)	014002
UZB 6(Horizontally)	014007
UZB 6(Vertical)	014008
UBFM 6(Blank)	424007
UBFM 6(Horizontally)	424008
UBFM 6(Vertical)	424009
UTD-ZB	394006
YB 0,6×3,5	304002
E4010	241254

UJ6 series push in terminal block

Double-level terminal block,
internally connected
UJ6-2.5/2 × 2-PV



CE RoHS

Double-level terminal block,
internally connected
UJ6-4/2 × 2-PV



CE RoHS

Three-level terminal block,
internally connected
UJ6-2.5/3 × 3-PV



CE RoHS

Dimensions		Type		Order No		Type		Order No		Type		Order No	
Width/Thickness/Height	(mm)	67,6 / 5,2 / 45,8				83,6/6,2/45,8				102,2/5,2/56,5			
Stripping length	(mm)	11				13				11			
Technical data													
Voltage	(V)	800				800				800			
Current	(A)	24				32				24			
Cross section	(mm ²)	2,5				4				2,5			
Connection capacity													
Solid conductors	(mm ²)	0,2-4				0,2-6				0,2-4			
Stranded conductors	(mm ²)	0,2-2,5				0,2-4				0,2-2,5			
Terminal block													
Mounting rail													
Can be installed on the rail													
		TH35-7,5		102001		TH35-7,5		102001		TH35-7,5		102001	
		TH35-15		102005		TH35-15		102005		TH35-15		102005	
End cover													
For electrical isolation in the end of terminal blocks													
		UJ6-2.5/2-2-G		422111		UJ6-4/2-2-G		422116		UJ6-2.5/3-3-G		422161	
Group end cover													
For visual and electrical isolation in the terminal blocks													
		UJ5-1,5~4/2-2-FG		422020		UJ5-1,5~4/2-2-FG		422020					
Test accessories													
Test plug, both used together, for circuit testing													
		PS-2		016022		PS-2		016022		PS-2		016022	
Push-in jumpers													
Can be push into center of the terminal to achieve the terminals connection													
		2-pos UFBS 2-5		423006		UFBS 2-6		423011		UFBS 2-5		423006	
		3-pos UFBS 3-5		423007		UFBS 3-6		423012		UFBS 3-5		423007	
		4-pos UFBS 4-5		423008		UFBS 4-6		423013		UFBS 4-5		423008	
		5-pos UFBS 5-5		423009		UFBS 5-6		423014		UFBS 5-5		423009	
		10-pos UFBS 10-5		423010		UFBS 5-6		423015		UFBS 10-5		423010	
		20-pos UFBS 20-5		423028		UFBS 10-6				UFBS 20-5		423028	
		30-pos UFBS 30-5		423029						UFBS 30-5		423029	
Marker support													
Please refer to the attachment for the uses.													
		UJ5 5-2		422009						UJ5 5-2		422009	
		UJ5 5-2/S		422057						UJ5 5-2/S		422057	
										UJ5 5-3		422060	
Marker strip													
Horizontally/Vertically (Can be printed 1-400, or the technical data according to your requirements.													
		Blank				Blank				Blank			
		Horizontally		1 2 3 4 5 6 7		Horizontally				Horizontally			
		Vertically		1 2 3 4 5 6 7		Vertically				Vertically			
		UBFM 5 (Blank)		424004		UBFM 6 (Blank)		424007		UBFM 5 (Blank)		424004	
		UBFM 5 (Horizontally)		424005		UBFM 6 (Horizontally)		424008		UBFM 5 (Horizontally)		424005	
		UBFM 5 (Vertical)		424006		UBFM 6 (Vertical)		424009		UBFM 5 (Vertical)		424006	
Marker strip													
Marker strip for the combination of terminals													
						UTD-ZB		394006					
Fusible core													
Fuse protection													
Screwdriver													
		YB 0,6 × 3,5		304002		YB 0,6 × 3,5		304002		YB 0,6 × 3,5		304002	
End socket													
		E2508		241215		E4010		241254		E2508		241215	
Insulated cord end terminal													

Terminal blocks with needle connection
UJ6-2.5V/2






Terminal blocks with needle connection
UJ6-2.5V/2 × 1



Double-level terminal block with needle connection
UJ6-2.5V/2-2



Ground terminal block with needle connection
UJ6-2.5VJD



CE RoHS

CE RoHS

CE RoHS

CE RoHS

48,5/5,2/35,2
11
500
24(当导线截面积为4 mm²的导线时)
2.5
0,2-4
0,2-2.5

60,4/5,2/35,2
11
500
24(当导线截面积为4 mm²的导线时)
2.5
0,2-4
0,2-2.5

71,3/5,2/45,8
11
500
22(当导线截面积为4 mm²的导线时)
2.5
0,2-4
0,2-2.5

48,5/5,2/35,2
11
500
24(当导线截面积为4 mm²的导线时)
2.5
0,2-4
0,2-2.5


Type	Order No	Type	Order No	Type	Order No	Type	Order No
UJ6-2.5V/2	421772	UJ6-2.5V/2×1	421770	UJ6-2.5V/2-2	421775	UJ6-2.5VJD	421766
UJ6-2.5V/2(BU)	421781	UJ6-2.5V/2×1(BU)	421782	UJ6-2.5V/2-2(BU)	421783		
TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001
TH35-15	102005	TH35-15	102005	TH35-15	102005	TH35-15	102005
UJ6-2,5VG	422154	UJ5-1,5、2,5/1×2G	422021	UJ6-2,5V/2-2G	422168	UJ6-2,5VG	422154
						UJ5-1,5~4FG	422016
		PS-2	016022	PS-2	016022	PS-2	016022
UFBS 2-5	423006	UFBS 2-5	423006	UFBS 2-5	423006	UFBS 2-5	423006
UFBS 3-5	423007	UFBS 3-5	423007	UFBS 3-5	423007	UFBS 3-5	423007
UFBS 4-5	423008	UFBS 4-5	423008	UFBS 4-5	423008	UFBS 4-5	423008
UFBS 5-5	423009	UFBS 5-5	423009	UFBS 5-5	423009	UFBS 5-5	423009
UFBS 10-5	423010	UFBS 10-5	423010	UFBS 10-5	423010	UFBS 10-5	423010
UFBS 20-5	423028	UFBS 20-5	423028	UFBS 20-5	423028	UFBS 20-5	423028
UFBS 30-5	423029	UFBS 30-5	423029	UFBS 30-5	423029	UFBS 30-5	423029
						UJ5 5-2/ZB 2pcs UZB5 marker strip can be installed	422058
						UJ5 5-25 × 12	422059
UZB 5(Blank)	014001	UZB 5(Blank)	014001			UZB 5(Blank)	014001
UZB 5(Horizontally)	014005	UZB 5(Horizontally)	014005			UZB 5(Horizontally)	014005
UZB 5(Vertical)	014006	UZB 5(Vertical)	014006			UZB 5(Vertical)	014006
		UBFM 5(Blank)	424004	UBFM 5(Blank)	424004	UBFM 5(Blank)	424004
		Sides UBFM 5(Horizontally)	424005	Sides UBFM 5(Horizontally)	424005	Sides UBFM 5(Horizontally)	424005
		UBFM 5(Vertical)	424006	UBFM 5(Vertical)	424006	UBFM 5(Vertical)	424006
UTD-ZB	394006	UTD-ZB	394006			UTD-ZB	394006
YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002
		E2508	241215	E2508	241215	E2508	241215

UJ6 series push in terminal block

Double-level terminal block with 3 connections
UJ6-2.5/2 × 1/2-2



Test terminal block
UJ6-6S



Terminal blocks with needle connection
UJ6-2.5V



Dimensions	CE RoHS		UL us CE RoHS		CE RoHS	
Width/Thickness/Height (mm)	114,2/5,2/63,8		90/8,2/42,2		48,5/5,2/35,2	
Stripping length (mm)	11		16		11	
Technical data						
Voltage (V)	800		500		800	
Current (A)	22		41		24 (当导线截面积为4 mm²的导线时)	
Cross section (mm²)	2.5		6		2.5	
Connection capacity						
Solid conductors (mm²)	0,2-4		0,5-10		0,2-4	
Stranded conductors (mm²)	0,2-2.5		0,5-6		0,2-2.5	
Terminal block						
	Type	Order No	Type	Order No	Type	Order No
	UJ6-2,5/2×1/2-2	421728	UJ6-6S	421509	UJ6-2,5V	421736

BU:Blue

Mounting rail

Can be installed on the rails



TH35-7,5	102001	TH35-7,5	102001	TH35-7,5	102001
TH35-15	102005	TH35-15	102005	TH35-15	102005

End cover

For electrical isolation in the end of terminal blocks.



UJ6-2,5/2×1/2-2G	422152	UJ6-6SG	422117	UJ6-2,5VG	422154
------------------	--------	---------	--------	-----------	--------

Group end cover

For visual and electrical isolation in the terminal blocks



				UJ5-1,5-4FG	422016
--	--	--	--	-------------	--------

Test accessories

Test plug, both used together, for circuit testing

PS-2	016022	PS-2	016022	PS-2	016022
------	--------	------	--------	------	--------

Push-in jumpers

Can be pushed into center of the terminal to achieve the terminals connection



			PS-4 订货数据详见附件			
2-pos	UFBS 2-5	423006	UFBS 2-8	423016	UFBS 2-5	423006
3-pos	UFBS 3-5	423007	UFBS 3-8	423017	UFBS 3-5	423007
4-pos	UFBS 4-5	423008	UFBS 4-8	423018	UFBS 4-5	423008
5-pos	UFBS 5-5	423009	UFBS 5-8	423019	UFBS 5-5	423009
10-pos	UFBS 10-5	423010	UFBS 5-8	423020	UFBS 10-5	423010
	UFBS 20-5	423028	UFBS 10-8	423020	UFBS 20-5	423028
	UFBS 30-5	423029			UFBS 30-5	423029

Marker support

Please refer to the attachment for the uses.



UJ5 5-2/ZB 2pcs UZB5 marker strip can be installed	422058			UJ5 5-2/ZB 3pcs UZB5 marker strip can be installed	422058
UJ5 5-25 × 12	422059			UJ5 5-25 × 12	422059

Marker strip

Horizontally/Vertically Can be printed +000, or the technical data according to your requirements.



Blank	UZB 5 (Blank)	014001		UZB 5 (Blank)	014001
Horizontally	Centre UZB 5 (Horizontally)	014005		UZB 5 (Horizontally)	014005
Vertically	UZB 5 (Vertical)	014006		UZB 5 (Vertical)	014006
	UBFM 5 (Blank)	424004	UBFM 8 (Blank)	424010	424004
	Sides UBFM 5 (Horizontally)	424005	UBFM 8 (Horizontally)	424011	424005
	UBFM 5 (Vertical)	424006	UBFM 8 (Vertical)	424012	424006

Marker strip

Marker strip for the combination of terminals



UTD-ZB	394006	UTD-ZB	394006	UTD-ZB	394006
--------	--------	--------	--------	--------	--------

Screwdriver



YB 0,6 × 3,5	304002	YB 0,6 × 4,0	304003	YB 0,6 × 3,5	304002
--------------	--------	--------------	--------	--------------	--------


End socket

Insulated cord end terminal









E2508	241215	E6012	241212	E2508	241215
-------	--------	-------	--------	-------	--------

Vehicle fuse terminal block
UJ6-2.5CW/RD 




CE RoHS

Dimensions			
Width/Thickness/Height	(mm)	65/5.2/35.2	
Stripping length	(mm)	11	
Technical data			
Voltage	(V)	400	
Current	(A)	10	
Cross section	(mm ²)	2.5	
Connection capacity			
Solid conductors	(mm ²)	4	
Stranded conductors	(mm ²)	0.2-2.5	
Terminal block	Type	Order No	
	UJ6-2.5CW/RD	421786	
Mounting rail			
Can be installed on the rails		TH35-7.5	102001
		TH35-15	102005
End cover			
For electrical isolation in the end of terminal blocks.		UJ6-2.5CWG	422170
Push-in jumpers			
Can be push into center of the terminal to achieve the terminals connection		2-pos UFBS 2-5	423006
		3-pos UFBS 3-5	423007
		4-pos UFBS 4-5	423008
		5-pos UFBS 5-5	423009
		10-pos UFBS 10-5	423010
		UFBS 20-5	423028
		UFBS 30-5	423029
Marker support			
Please refer to the attachment for the uses.		UJ5 5-2	422009
		UJ5 5-2/S	422057
Marker strip			
Horizontally/Vertically Can be printed 1-400, or the technical data according to your requirements.		UJ5 5-3	422060
	Blank	UBFM 5(blank)	424004
	Horizontally 1 2 3 4 5 6 7	UBFM 5(Horizontally)	424005
	Vertically	UBFM 5(Vertical)	424006
Screwdriver			
		YB 0.6×3.5	304002

UJ6 series push in terminal block

Terminal block
UJ6V-2.5



CE RoHS

Dimensions			
Width/Thickness/Height	(mm)	50, 8/5, 2/35, 2	
Stripping length	(mm)	11	
Technical data			
Voltage	(V)	1000	
Current	(A)	24	
Cross section	(mm ²)	2.5	
Connection capacity			
Solid conductors	(mm ²)	0,2-4	
Stranded conductors	(mm ²)	0,2-2,5	
Terminal block	Type	Order No	
	UJ6V-2,5	421776	
Mounting rail			
Can be installed on the rails		TH35-7,5	102001
		TH35-15	102005
End cover			
For electrical isolation in the end of terminal blocks.		UJ6V-2,5 - 4G	422166
Group end cover			
For visual and electrical isolation in the terminal blocks		UJ5-1,5 - 4FG	422016
Test accessories			
Test plug, both used together, for circuit testing		PS-2	016022
Push-in jumpers			
Can be push into center of the terminal to achieve the terminals' connection		2-pos UFBS 2-5	423006
		3-pos UFBS 3-5	423007
		4-pos UFBS 4-5	423008
		5-pos UFBS 5-5	423009
		10-pos UFBS 10-5	423010
		UFBS 20-5	423028
		UFBS 30-5	423029
Marker strip			
Horizontally/Vertically Can be printed 1-400, or the technical data according to your requirements.		Blank	UZB 5 (Blank)
		Horizontally	UZB 5 (Horizontally)
		Vertically	UZB 5 (Vertical)
			JB 5 (Blank)
			JB 5 (Horizontally)
			JB 5 (Vertical)
Screwdriver			
		YB 0,6 x 3,5	304002
End socket			
Insulated cord end terminal		E2508	241215

Plug
UJ6-2.5VP/L




New Plug
UJ6-2.5VP/M




New Plug
UJ6-2.5VP/R



Dimensions					
Width/Thickness/Height (mm)		16 / 5,2 / 39,5	16 / 5,2 / 39,5	16 / 5,2 / 39,5	
Technical data					
Voltage (V)		500	500	500	
Current (A)		24 (connect conductors of 4 mm ² cross section)	24 (connect conductors of 4 mm ² cross section)	24 (connect conductors of 4 mm ² cross section)	
Cross section (mm ²)		2,5	2,5	2,5	
Connection capacity					
Solid conductors (mm ²)		0,2-4	0,2-4	0,2-4	
Stranded conductors (mm ²)		0,2-2,5	0,2-2,5	0,2-2,5	
Terminal block	Type	Order No	Type	Order No	Type
	UJ6-2.5VP/L	016029	UJ6-2.5VP/M	016030	UJ6-2.5VP/R

Marker strip					
Horizontally/Vertically Can be printed +800, or the technical data according to your requirements,	Blank	UBFM 5(Blank)	424004	UBFM 5(Blank)	424004
	Horizontally	UBFM 5(Horizontally)	424005	UBFM 5(Horizontally)	424005
	Vertically	UBFM 5(Vertical)	424006	UBFM 5(Vertical)	424006
Screwdriver		YB 0,6 × 3,5	304002	YB 0,6 × 3,5	304002

structures of 3 positions plug



UJ6 series push in terminal block

UJ6 series plug



Type	Order No
UJ6-2.5VP-1	016032
UJ6-2.5VP-2	016033
UJ6-2.5VP-3	016034
UJ6-2.5VP-4	016035
UJ6-2.5VP-5	016036
UJ6-2.5VP-6	016037
UJ6-2.5VP-7	016038
UJ6-2.5VP-8	016039
UJ6-2.5VP-9	016040
UJ6-2.5VP-10	016041
UJ6-2.5VP-11	016042
UJ6-2.5VP-12	016043
UJ6-2.5VP-13	016044
UJ6-2.5VP-14	016045
UJ6-2.5VP-15	016046
UJ6-2.5VP-16	016047
UJ6-2.5VP-17	016048
UJ6-2.5VP-18	016049
UJ6-2.5VP-19	016050
UJ6-2.5VP-20	016051



Installation diagram of UJ6 series and socket



When there are too many combinations, intermediate clamping feet can be properly removed



SHANGHAI UPUN ELECTRIC GROUP

Add: NO.528, Jiye Rd., Sheshan Industry
Area, Songjiang District, Shanghai
Tel: +86-21-3779 5555
www.chinaupun.net